

## REMARKS

In view of the following remarks, Applicant respectfully requests reconsideration and allowance of the subject application.

### 5    Amendments to the Claims

Claims 1, 12, 13, 17, 23, and 27 are amended to more clearly distinguish processing performed by a server system from processing performed by a client device.

### 10   Rejections to the Claims

#### **35 U.S.C. 103**

Claims 1-3 and 5-29 are rejected under 35 U.S.C. 103(a) as being unpatentable over United States Patent Application Publication No. 2003/0061288 A1 filed by Brown et al. (herein referred to as "Brown") in view of  
15   United States Patent Application Publication No. 2002/0019844 filed by Kurowski et al. (herein referred to as "Kurowski").

Applicant's application describes a re-authentication system implemented on a server computer system that provides increased security  
20   without disrupting user workflow in a client-server environment. When a request is submitted from the client to the server, the re-authentication system verifies that the session is secure. If the re-authentication system cannot verify that the session is secure, the system persists (e.g., saves or maintains) the

request and directs the client to re-authenticate the session. When the client session is re-established, the re-authentication system directs the server to process the saved request, instead of requiring that the request be re-submitted from the client. (*Application*, page 2, line 25 – page 3, line 8.) Specifically,

5 claim 1 recites a method comprising:

establishing an authenticated session between a server and a client;

receiving at the server, a request from the client;

determining whether the session is still authenticated;

10 in an event that the session is no longer authenticated, persisting as a pending request at the server, the request from the client; and

in an event that the session is subsequently re-authenticated, the server processing the pending request.

Brown teaches a method and system that provide an accessibility  
15 gateway to Internet e-mail through the use of a web intermediary server. A request for email from any mail server is sent from the client device to the intermediary server. The intermediary server retrieves the requested e-mail from a mail server, transcodes the server-based e-mail into a web-based e-mail and applies user-defined transformations to the e-mail for accessibility, which is  
20 then sent back to the client device. If the email is from a secure mail server, the intermediary server functions as a proxy for the user device to establish the requisite secure connection with the mail server. (*Brown*, Abstract.)

Kurowski teaches a highly distributed environment where very large computation intensive tasks are broken down into thousands of sub-tasks and then distributed to thousands of clients running on a variety of computers across the Internet. The idle CPU time of each of these thousands of client  
5 computers is used to perform these computations by running custom application modules in a low priority. (*Kurowski*, Abstract.)

The combination of Brown and Kurowski does not teach or suggest "receiving at the server, a request from the client; determining whether the session is still authenticated; and in an event that the session is no longer  
10 authenticated, persisting as a pending request at the server, the request from the client," as recited in claim 1. The Office cites Brown, Fig. 4 and paragraphs [0028]-[0030] as teaching, "establishing an authenticated session with a client; receiving a request from the client; determining whether the session is still authenticated; and in an event that the session is authenticated, processing the  
15 client request." The Office further contends that, "re-authentication is inherently required in order for the request to be processed since each time a request is made, the server checks to see if the client is authenticated." While re-authentication may be required in order for the request to be processed, based on the description provided in Brown, it would also be required that the user re-  
20 submit the request after obtaining re-authentication because there is no suggestion that, "in an event that the session is no longer authenticated, persisting as a pending request at the server, the request from the client." Specifically, Brown teaches that:

The WAG proxy machine 11 receives the request for a web-based e-mail and authenticates the user as being authorized to use the service provided by proxy machine 11, as illustrated in block 38. A query, as described in block 40, is made as to whether the user is authenticated. **If not, a directive, as illustrated in block 42, is sent back to client device 10, typically in the form of a web page, requesting content for the user to log onto and/or register with the WAG services offered through proxy machine 11.** (Brown, paragraph [0029].)

The cited portion of Brown teaches verifying that a user is authorized to use services provided by a proxy machine. If the user is not authorized, then the user is directed to obtain authorization. Brown does not teach or suggest, “in an event that the session is no longer authenticated, persisting as a pending request at the server, the request from the client,” as recited in claim 1. Rather, Brown only teaches that if a request is received and the user is not authorized, then the user is directed to obtain authorization – there is no suggestion that the request is persisted at the server, or that obtaining the authorization will result in the request being processed.

In fact, the Office agrees that Brown does not disclose, “in an event that the session is no longer authenticated, persisting the request from the client as a pending request.” (*Office Action*, page 3.) The Office further contends, however, that Kurowski discloses storing any commands for the task server in a persistent queue if the network connection is down and when a connection is reestablished, go through the persistent queue and send the commands to the

task server that are pending there (see Kurowski, page 18, [0241]). (*Office Action*, page 3.)

The cited portion of Kurowski teaches a client device that monitors a network connection, and then saves data to be transmitted when the network connection is down so that, when the network connection is re-established, the saved data can then be transmitted. This scenario differs from the claimed invention.

Kurowski teaches storing data locally, rather than transmitting the data, because a network connection is down. In contrast, claim 1 recites, "receiving at the server, a request from the client; determining whether the session is still authenticated; and in an event that the session is no longer authenticated, persisting as a pending request at the server, the request from the client." According to claim 1, the data (e.g., a request) is transmitted from the client to the server, thereby enabling the "receiving at the server, a request from the client." Kurowski teaches that the data cannot be sent, and therefore cannot be received at the server, because the network connection is down. According to claim 1, the request is persisted as a pending request at the server after being received from the client, "in an event that the session is no longer authenticated." This does not imply that a network connection is not available. In contrast, it implies that the network connection is (or at least was) available, thereby allowing the "receiving at the server, a request from the client", but that an authenticated session with the client is no longer authenticated. This could

be due, for example, to an authenticated session timing-out, and does not necessarily imply that a network connection is down.

Furthermore, combining the teachings of Brown and Kurowski does not result in the claimed invention. Combining Brown and Kurowski results in a  
5 system in which a client device monitors a network connection; if the network connection is down, the client saves data to be sent to a server; when the network connection is available, the client sends the data to the server; when the server receives the data, the server determines whether or not the client is authorized to send the data that was sent, and if not, directs the client to obtain  
10 authorization. The combination of Brown and Kurowski does not teach or suggest, "receiving at the server, a request from the client; determining whether the session is still authenticated; in an event that the session is no longer authenticated, persisting as a pending request at the server, the request from the client," as recited in claim 1. Accordingly, claim 1 is allowable over Brown in  
15 view of Kurowski, and Applicant respectfully requests that the 103 rejection of claim 1 be withdrawn.

Claims 2, 3, and 5-11 are allowable over Brown in view of Kurowski at least by virtue of their dependency (direct or indirect) on claim 1.

20

Claim 12 recites a method comprising:

establishing an authenticated session between a server and a client;

the client submitting a request to the server;

the client receiving an indication that the session is no longer

5 authenticated;

the client obtaining a session re-authentication; and

the client receiving an indication that the request has been processed,

***without resubmitting the request.***

10 As described above with reference to claim 1, the combination of Brown and Kurowski teaches a system in which a client device may store a request for later submission to a server in an event that a network connection is unavailable, and in which a client may be directed to obtain authentication in response to submitting a request when the client is not authorized to submit

15 such a request. Neither Brown nor Kurowski, alone or in combination, teach or suggest, "the client submitting a request to the server; the client receiving an indication that the session is no longer authenticated; the client obtaining a session re-authentication; and the client receiving an indication that the request has been processed, without resubmitting the request," as recited in claim 12.

20 Accordingly, claim 12 is allowable over Brown in view of Kurowski, and Applicant respectfully requests that the 103 rejection of claim 12 be withdrawn.

Claims 13, 18, 22, 23, 25, and 27 recite elements that are similar to those recited in claim 1. Accordingly, for reasons similar to those stated above with reference to claim 1, claims 13, 18, 22, 23, 25, and 27 are also allowable over Brown in view of Kurowski, and Applicant respectfully requests that the  
5 103 rejection of claims 13, 18, 22, 23, 25, and 27 be withdrawn.

Claims 14-17 are allowable over Brown in view of Kurowski at least by virtue of their dependency (direct or indirect) on claim 13.

10 Claims 19-21 are allowable over Brown in view of Kurowski at least by virtue of their dependency on claim 18.

Claim 24 is allowable over Brown in view of Kurowski at least by virtue of its dependency on claim 23.  
15

Claim 26 is allowable over Brown in view of Kurowski at least by virtue of its dependency on claim 25.

Claims 28 and 29 are allowable over Brown in view of Kurowski at least  
20 by virtue of their dependency (direct or indirect) on claim 27.

Claim 4 is rejected under 35 U.S.C. 103(a) as being unpatentable over Brown in view of Kurowski, and further in view of United States Patent



Application Publication No. 2002/0023122 filed by Polizzi et al. (herein referred to as "Polizzi").

Claim 4 recites the method of claim 2 wherein the authentication token is a cookie stored by the client.

5           Polizzi teaches a method and apparatus for processing jobs on an enterprise-wide computer system. The computer system uses a portal architecture to allow a user to view a wide variety of content retrieved from a variety of different computer systems. (*Polizzi*, Abstract.)

10           The Office contends that Brown and Kurowski disclose the method of claim 2. The Office does not make any suggestion that Polizzi adds anything to the teachings of Brown and Kurowski with reference to claim 2. Accordingly, at least by virtue of its dependency on claim 2, claim 4 is allowable over Brown in view of Kurowski, and further in view of Polizzi, and Applicant respectfully requests that the 103 rejection of claim 4 be withdrawn.

15

## Conclusion

Claims 1-29 are believed to be in condition for allowance. Applicant respectfully requests reconsideration and prompt issuance of the present application. Should any issue remain that prevents immediate issuance of the application, the Examiner is encouraged to contact the undersigned agent to discuss the unresolved issue.

10

Respectfully Submitted,  
Lee & Hayes, PLLC  
421 W. Riverside Avenue, Suite 500  
Spokane, WA 99201

15

Dated: 06/01/06



Name: Kayla D. Brant  
Reg. No. 46,576  
Phone No. (509) 324-9256 ext. 242